NDFE-Health Main Department

Voluntary Medical Male Circumcision (VMMC) Register

Command/Equivalent Unit	Division/Equivalent Unit	Health Facility Name	Begin Date	End Date

NDFE-HEALTH MAIN DEPARTMENT

S/N	REGISTER	DISCRIPTION
1	SERIAL NUMBER	WRITE SERIAL NUMBER OF CLIENT
2	DATE IN EFY (DD/MM/YY)	WRITE CLIENT VISIT DATE IN ETHIOPIAN CALENDAR AS DAY (DD)/MONTH (MM)/YEAR(YY)
3	CLIENT Medical record #	WRITE CLIENT MEDICAL RECORD #
4	CLIENT NAME	WRITE CLIENT FULL NAME
5	AGE (YEARS)	WRITE CLIENT AGE IN COMPLETED YEARS
6	WEIGHT (KG)	WEIGH AND WRITE CLIENT WEIGHT IN KG
7	BLOOD PRESSURE	MEASURE AND WRITE CLIENT BLOOD PRESSURE
8	TEMPRATURE	MEASURE AND WRITE CLIENT TEMPRATURE
9	TESTED FOR HIV (Y/N)	WRITE Y IF CLIENT TESTED FOR HIV AT VMMC SITE IF NOT WRITE N
10	TEST RESULT (R/NR)	WRITE R IF CLIENT TEST RESULT WAS POSITIVE, WRITE NR IF CLIENT TEST RESULT WAS NEGATIVE
11	IF R, LINKED TO ART SERVICE	WRITE YES IF CLIENT'S HIV TEST RESULT WAS POSITIVE AND LINKED TO ART SERVICE
12	CIRC METHOD	WRITE TWO LETTERS OF CIRCUMCISION METHOD USING: DS FOR DORSAL SLIT, FG FOR FORCEPS GUIDED, SL FOR SLEEVE METHOD, OTH FOR OTHER AND SPECIFY
13	FOLLOWUP 1ST DATE	WRITE 1ST FOLLOWUP VISIT DATE IN ETHIOPIAN CALANDAR (DD/MM/YY)
14	FOLLOWUP 2ND DATE	WRITE 2ND FOLLOWUP VISIT DATE IN ETHIOPIAN CALANDAR (DD/MM/YY)
15	ADVERT EVENT: INTRA OPERATIVE AE	FOR ADVERSE EVENTS OCCURING DURING SURGERY, USE CODE B AND WRITE THE FIRST TWO LETTER OF THE AE AND LEVEL OF SEVERITY
16	ADVERT EVENT:POST OPERATIVE AE (1-6 days)	FOR ADVERSE EVENTS OCCURING DURING 1-6 DAYS POST OPERATIVE, USE CODE B AND WRITE THE FIRST TWO LETTER OF THE AE AND LEVEL OF SEVERITY
17	ADVERT EVENT:POST OPERATIVE AE (>7 days)	FOR ADVERSE EVENTS OCCURING AFTER 7 DAYS POST OPERATIVE, USE CODE B AND WRITE THE FIRST TWO LETTER OF THE AE AND LEVEL OF SEVERITY
18	SURGEON	WRITE THE NAME OF SURGEON OR HEALTH WORKER WHO PERFORMED THE OPERATION
19	ASSISTANT/S	WRITE THE NAME OF HEALTH WORKER WHO ASSISTED THE OPERATION
20	REMARK	WRITE ANY ADDITIONAL NOTE IF NEEDED

NDFE-HEALTH MAIN DEPARTMENT

SURGICAL METHOD	*ADVERSE EVENTS / REMARKS* * Guideline to adverse events is attached on the first page. ***If Client has any of the following, please complete the Adverse Event Form:***		
	Time	**Type**	**Severity**
DS = Dorsal Slit FG = Forceps Guided SL = Sleeve Method Oth= Other (specify e.g. Plastibell)	• **Intra-operative** (during surgery or prior to discharge from clinic) • **Post-operative** (1-6 days after surgery and discharge from clinic) • **Post-operative** (≥7 days after surgery and discharge from clinic)	**AN** = Problem with Anaesthesia **BL** = Excessive Bleeding **DD** = Device Displacement* **IN** = Infection **OT** = Occupational Exposure **PA** = Pain **SD** = Scarring/Disfigurement/Poor Cosmetic Result; Insufficient Skin Removal; Excess Skin Removal; Penile Torsion; Injury to Glans or Shaft of Penis **SX** = Sexual Dysfunction/Undesirable Sensory Changes **WD** = Wound Disruption **OA** = Other AEs (Including Excess Swelling of Penis/Scrotum, Haematoma, Difficulty Urinating, Other)	Mild Moderate Severe

All AEs should be reported, even if they share a related cause. For example, wound disruption that is caused by an infection should be reported as two AEs: infection and wound disruption. All AEs must be recorded and include time, type, and severity.

Example of Coding: An AE coded **PA-Moderate** indicates moderate pain: **PA-Severe** indicates severe pain. Based on when the even happened use column 14 for intra operative, column 15 for postoperative 1-7 days after discharge and column 16 for postoperative longer than a week after discharge.

NDFE-HEALTH MAIN DEPARTMENT

VOLUNTARY MEDICAL MALE CIRCUMCISION REGISTER

Serial No.	DATE IN EFY (DD/MM/YY)	CLIENT MEDICAL RECORD NUMBER	CLIENT NAME	AGE (YEARS)	WEIGHT (KG)	BLOOD PRESSURE	TEMPRATURE	TESTED FOR HIV (Y/N)	TEST RESULT (R/NR)	IF R, LINKED TO ART SERVICE	CIRC METHOD (USE CODE BELOW)	FOLLOW-UP VISITS		ADVERSE EVENT (USE CODE BELOW)			SURGEON	ASSISTANT/S	REMARK
												1ST DATE (DD/MM/YY)	2ND DATE (DD/MM/YY)	INTRA OPERATIVE AE	POST OPERATIVE AE (1-6 days)	POST OPERATIVE AE (>7 days)			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

DS = Dorsal Slit
FG = Forceps Guided
SL = Sleeve Method
Oth = Other (specify e.g. Plastibell)

AN = Problem with Anesthesia
BL = Excessive Bleeding
DD = Device Displacement*
IN = Infection
OT = Occupational Exposure
PA = Pain
SD = Scarring/Disfigurement/Poor Cosmetic Result; Insufficient Skin Removal; Excess Skin Removal; Penile Torsion; Injury to Glans or Shaft of Penis
SX = Sexual Dysfunction/Undesirable Sensory Changes
WD = Wound Disruption
OA = Other AEs (Including Excess Swelling of Penis/Scrotum, Haematoma, Difficulty Urinating, Other)

Severity
Mild
Moderate
Severe